



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Tamil Nadu)

To,

The Officer Corporate Relations M/S. RADIANCE REALTY DEVELOPERS INDIA LTD No.480, Anna Salai, Khivraj Complex-II, 6th Floor, Nandanam, Chennai -600035

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/TN/MIS/227271/2021 dated 01 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

EC22B038TN153971 1. EC Identification No.

2. File No. 8775/2021 3.

Project Type New 4. Category B2

Project/Activity including 8(a) Building and Construction projects 5. Schedule No.

6. Name of Project Proposed Construction of Residential Development

Name of Company/Organization M/S. RADIANCE REALTY 7. **DEVELOPERS INDIA LTD**

8. **Location of Project** Tamil Nadu

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Tmt.P.RAJESWARI,IFS Date: 29/04/2022 **Member Secretary** SEIAA - (Tamil Nadu)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.



TMT. P. RAJESWARI, I.F.S., MEMBER SECRETARY

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADU

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15. Phone No.044-24359973 Fax No. 044-24359975

ENVIRONMENTAL CLEARANCE (EC)

Letter No. SEIAA-TN/F.No.8775/EC/8(a)/825/2021 dated:13.04.2022

Sir/Madam,

Sub: SEIAA, TN - Environmental Clearance – Proposed Construction of Residential Building at S.F.No: 30/1 (O.S. No. 518/1 Part, 518/2 Part, 518/3 Part, 518/4 Part, 518/5 Part, 528A/1 Part, 528A/2A) of Thiruvottiyur Village, Thiruvottiyur Taluk, Chennai District, Tamil Nadu by M/s. Radiance Realty Developers India Ltd under Category "B2" and Schedule Sl. No. 8 (a) – Building and Construction Projects - Issued - Regarding.

- Ref: 1. Your application for Environmental Clearance dated: 01.09.2021
 - 2. Online Proposal No. SIA/TN/MIS/227271/2021, dated: 01.09.2021
 - 3. Minutes of the 255th meeting of SEAC held on 18.03.2022
 - 4. Minutes of the 499th SEIAA meeting held on 11.04.2022

This has reference to your application 1st& 2nd cited, the proposed Construction of Residential Building by M/s. Radiance Realty Developers India Ltd under Category B2 and Schedule S.No.8(a) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized Signatory furnished the detailed information in Form 1, Form 1A, Conceptual plan and liquidate enclosures are as Annexures:

Annexure 1

S. No	Description	Details				
1.	Name of the Project	Proposed Construction of Residential Building by M/s. Radiance				
		Realty Developers India Ltd				
2.	Location	S.F.No: 30/1 (O.S. No. 518/1 Part, 518/2 Part, 518/3 Part, 518/4 Part,				
			518/5 Part, 528A/1 Part, 528A/2A) of Thiruvottiyur Village, Thiruvottiyur Taluk, Chennai District, Tamil Nadu			
		Latitud	Latitude Longitude			
		13 ⁰ 10'17.18"N 80 ⁰ 18'13.60"E				
3.	Type of Project	Building	g and Construction Projects	12		
		Schedule 8 (a), Category "B2"				
4.	Total Area (in sq. m)	Total Land Area – 19,833.64 Sq.m				
		S.No.	Description	Area (Sq. m.)		
		1	Total Land Area	19,833.64		
	CI HEREN	2	OSR and Green belt Area-27.3%	5414.63		
	7	3	Total Ground Coverage Area of Buildings – 44.9%	8900.75		
	3	4	Roads and Pavements Area – 22.7%	4499.46		
		5	Surface or open Parking Area – 2.4%	478.80		
		6	STP, Solid Waste Disposal and Other Utilities Area – 2.7%	540.00		
5.	Built up area	Total Built up Area – 50,867.09Sq.m				
	Total Built up Area					
6.	Cost of Project	Rs. 152.3538 Crore				
7.	Brief description of the	The proposed construction of Residential Building consists of 5				
	project	Towers: Tower -1- Block – A,B,C – S+5 Floors each, Tow				
		Block-D- S+5 floors, Tower – 3- Block- E (S+5 Floors), Block- F,G -				
		1	B+S+5 Floors each, Tower -4- Block-H,J-S+5 Floors each and			

		Tower- 5 - Block - K (B+S+5 Floors), Block L& M - S+5 Floors
		each., Club House - B+G+4 Floors Comprising of 395 Dwelling
		Units .Total land area of the proposed project is 19833.64 Sq.m. The
		total built-up area of the proposed residential development is
		50,867.09Sq.m
8.	Water requirement	Construction Phase -12 KLD (CMWSSB Tankers)
	KLD	Operational phase:
		Total water Requirement is 295 KLD
		Fresh Water Requirement -188 KLD
		Source of water- CMWSSB
		Treated grey water - 148KLD (Flushing 95KLD+Gardening
	.00	12KLD+Public sever 41KLD)
9.	Details of Sewage and	Sewage generation – 95 KLD (STP Capacity – 110 KLD)
	Grey water Treatment	Treated Sewage generation - 85 KLD (SBR Process)
		STP Details:
		Bar Screen Chamber
		Oil & Grease Chamber
	7.1	Collection Tank
	Y.	SBR Tank
	3	Sludge Holding tank
		Filter Press
		Decanting Tank
		Pressure Sand Filter
	13	Activated Carbon Filter
		Final Treated Water Tank
		Grey Water generation – 149KLD (Capacity – 175KLD)
		Treated Grey Water generation - 106 KLD (SBR Process)
		GWTP Details:
		Bar Screen Chamber

SEIAA-TN

		Oil &	Grease Chamber		
	**	Colle	ction cum Aeration Tank		
13-1		SBR	Гank		
		Sludg	e Holding Tank		
		Filter	Press		
		Decar	nting Tank		
		Pressi	are Sand Filter		
		Activ	ated Carbon Filter		
		Filter	Treated water tank		
		1 4	eed tank		
5-4		100	reated water tank	YX	
10.	Quantity of Solid Waste	The state of the s	Carea Water talk		
	generated per day,	S.	Description	Quantity	Mode of treatment /
	Mode of treatment and	No.	Description	THE ALL	
	Disposal of Solid Waste		Diada111 (O400)	(Kg/day)	disposal
	Disposar of Solid Waste	1	Biodegradable (@40%	511	Will be treated in orga
		P	of waste generated)	7 3	waste convertor within
		1/1	A LONG S		project site. Manure
				V A	generated will be used
	4				landscaping purpose w
			Con - Con All		project site.
	5	2	Non - Biodegradable	766	Waste will be sold to
		1A	(@ 60% of waste	The same of the sa	recyclers
		1	generated)	16	
		3	STP sludge	10	Will be used as a Man
					for greenbelt developm
11.	Power requirement	The to	tal power requirement is 3	3972 KVA	
		Source	- TANGEDCO		
		Transf	former of 500 KVA- 8 Nos		
12.	Details of D.G. set with	2 nos. of 250 KVA & 1 no. of 200 KVA capacities			ities
	Capacity and Stack	Stack 1	Height -As Per CPCB Nor	ms(SEAC Min	nutes)
				.72	

EC Identification No. - EC22B038TN153971 File No. - 8775/2021 Date of Issue EC - 29/04/2022

Page 5 of 30

	Height	(a) H 4		
13.	Details of Parking Area	Details No. of CarNo of two parking wheeler parking		
		Total number 505 107 of parking provided		
14.	Details of Green Belt Area &OSR	5,414.63 Sqm, 27.3% of total plot area is allotted for green belt development. The total number of trees to be planted is 240 Numbers. Existing trees in site – 8 Nos (will be transplanted)		
15.	Provision for rain water harvesting	Total Runoff in the site – 974.58 Cum/Annum Collection Sump – 580KLD (90KL (1No), 245 KL (2Nos))		
16.	EMP Cost (Rs.)	Capital cost – Rs 266 lakh Maintenance cost – 51 lakh		
17.	CER activities with the specific allocation of funds	Rs.3.0 Crore as per SEAC minutes.		

The Proponent has furnished affidavit in Hundred Rupees stamp paper attested by the Notary stating that

I, Mr. SRagavendran, Officer Corporate Relations representing, M/s. Radiance Realty Developers India Limited has proposed to construct Residential Building at T.S No. 30/1 (O.S. No. 518/1 Part, 518/2 Part, 518/3 Part, 518/4 Part, 518/5 Part, 528A/1 Part, 528A/2A) at Thiruvottiyur village, Chennai district in the state of Tamil Nadu.

Proposed project is Construction of Residential Building development is to be built in the land area of 19833.64 Sq.m. and the total built-up area of 50867.09 Sq.m. by M/s. Radiance Realty Developers India Limited an application submitted by us seeking Environmental Clearance under the EIA Notification, 2006 is under scrutiny in the Authority.

I/We Sworn That

1. The daily fresh water requirement for the proposed project is 188 KLD during the entire period of operation as per the letter submitted to CMWSSB. Based on the above commitment, we hereby undertake and commit that required water for the entire operation period will be obtained from the above Authority, before commissioning the project or

SEIAA-TN

before obtaining completion certificate from the competent authority, whichever is earlier. We shall commission the project only after providing required water supply for the whole project as committed by the competent authority.

- 2. The grey water generation from the proposed project is about 149 KLD which will be treated through Grey Water Treatment Plant of 175 KLD capacity and treated grey water of 148 KLD will be generated. The treated grey water of about 107 KLD will be recycled and utilized for Toilet flushing 95 KLD & greenbelt development 12 KLD. Balance of quantity of 41 KLD will be disposed in Public sewer. The Sewage generation is about 95 KLD which will be treated in Sewage Treatment Plant of 110 KLD. The treated sewage of 85 KLD will be disposed in Public sewer. The treated Grey water and sewage will meet the standards prescribed by the CPCB. The treated / untreated sewage will not be disposed to any water body / Streams.
- 3. The biodegradable waste (511 Kgs/day) will be processed in Organic Waste Convertor (OWC) & used as manure for Greenbelt development. The non-biodegradable waste generated (766 Kgs/day) will be handed over to authorized recycler. The STP Sludge generated (10 Kgs/day) will be used as manure for gardening. We will dispose the solid waste as committed above without polluting the soil/ground water/adjacent canals/lakes/ponds etc.,
- 4. We will provide Stack Height of 22m Each for the 3 Nos of DG Sets (250 KVA -2 Nos, 200 KVA -1 No).
- 5. We fully assure that Green Belt Area of 5414.63 Sq.m (27.30%) including OSR for the total Plot Area of 19833.64 Sq.m will be allotted and will not be used for any other activities. We also assure you the existing trees- 8 Nos. will be transplanted and ensure with 100% survival rate.
- We will provide Parking Area including Surface Parking cover an area of 478.80 Sq.m. and Basement Parking Area of 9947.60 Sq.m to park 505 Nos of Cars and 107 Nos of Two-Wheeler.
- 7. The Total Project Cost is 152.3538crores in which the CER for the Proposed Project will be 3.0crores on Capital investment of the Project Cost. This will be used for Environmental measures and Infrastructure Development in the surrounding of the proposed project within Chennai Corporation.

S. No	Beneficiary	Description of Activity	Amount Rupees (in Lacs)
1	Providing free Sanitary napkins. Providing incinerator for disposal of Sanitar napkins. Funds for Laboratory equipments. Sponsorship for the college to conduct awareness program -Health -Environment -Traffic and Road Safety Upgradation of Digital Library facilities by improving IT infrastructure.		50.00
2	Government School, Thiruvottiyur	Provision of Library facilities. Greeneries development around the periphery of the school. Construction of toilet facilities. Rain water harvesting system.	25.00
3	Government Girls Higher Secondary School, Thiruvottiyur	Providing Sanitation facilities – Toilets, Sanitary napkins and incinerator disposal of sanitary napkins. Provision of Library facilities. Greeneries development around the periphery of the school. Rain water harvesting system.	25.00
4	Government Higher Secondary School- Manali Pudu Nagar	Provision of Library facilities. Greeneries development around the periphery of the school. Construction of toilet facilities. Rain water harvesting system.	20.00
5	Government Higher Secondary School – Kathivakkam Ennore	Provision of Library facilities. Greeneries development around the periphery of the school.	
5	Government Higher Secondary School - PeriyaThoppu, Manali	Provision of Library facilities. Greeneries development around the periphery of the school. Construction of toilet facilities. Rain water harvesting system.	20.00
6	Government High School - Manali New Town	Provision of Library facilities. Greeneries development around the periphery of the school. Construction of toilet facilities. Rain water harvesting system.	20.00

		Total	300.00
11	Thiruvottiyur, Manali, Manali Puthu Nagar, Kathivakkam, Royapuram, Kasimedu	Tree Plantation & Maintenance	10.00
10	Vannan Kulam	Desilting, Bunding of pond, development of greeneries around the pond	35.00
9	Development of slum area Kodungaiyur	Sanitation facilities & Construction of toilets, providing free sanitary napkins, Providing incinerator for disposal of Sanitary napkins, Medical Facilities, Water supply, health care facilities and Greeneries development	25.00
8	Development of slum area Kargil Nagar	Sanitation facilities & Construction of toilets, providing free sanitary napkins, Providing incinerator for disposal of Sanitary napkins, Medical Facilities, Water supply, health care facilities and Greeneries development	25.00
7	Development of slum area Thazhankuppam	Sanitation facilities & Construction of toilets, providing free sanitary napkins, Providing incinerator for disposal of Sanitary napkins, Medical Facilities, Water supply, health care facilities and Greeneries development	25.00

- 8. We fully assure and commit ourselves to SEIAA, Tamil Nadu that maintenance of greening, rain water harvesting, sewage disposal, solid waste disposal and environmental monitoring will be our responsibility. We shall consistently monitor the performance of the same and eventually the same shall be maintained.
- We also commit that there will not be any activity carried out in the site and proposed site
 does not encroach nearby water bodies/reserve forest/wetlands.

As authorized signatory of this project I am aware that I can prosecuted under relevant Act and Rules, If I am not ensuring of the above commitments.

SEAC Recommendations:

The proposal was placed in this 255th SEAC Meeting held on 18.3.2022. The project proponent gave detailed presentation. The details of the project furnished by the proponent are available in the website (parivesh.nic.in).

The SEAC noted the following:

1. The Project Proponent, M/s. Radiance Realty Developers India Limited has applied for Environmental Clearance for the proposed construction of Residential building at

- T.S No. 30/1 (O.S. No. 518/1 Part, 518/2 Part, 518/3 Part, 518/4 Part, 518/5 Part, 528A/1 Part, 528A/2A) at Thiruvottiyur village, Chennai district
- 2. The project/activity is covered under Category "B" of Item 8(a) " Building and Construction projects " of the Schedule to the EIA Notification, 2006.
- 3. The proposed construction of Residential Building consists of 5 Towers: Tower -1-Block A,B,C S+5 Floors each, Tower 2 Block-D- S+5 floors, Tower 3-Block- E (S+5 Floors), Block- F,G -B+S+5 Floors each, Tower -4- Block-H,J- S+5 Floors each and Tower- 5 Block K (B+S+5 Floors), Block L& M S+5 Floors each., Club House B+G+4 Floors Comprising of 395 Dwelling Units. Total land area of the proposed project is 19833.64 Sq.m. The total built-up area of the proposed residential development is 50,867.09Sq.m.

The proposal was placed in 255th SEAC Meeting held on 18.3.2022, based on the presentation and document furnished by the project proponent, SEAC decided to **recommend** the proposal for the grant of Environmental Clearance for the above notings, subject to the following specific conditions in addition to normal conditions stipulated by MOEF&.CC:

- 1. The proponent shall obtain fresh water supply commitment letter and disposal of excess treated sewage from CMWSSB before obtaining CTO.
- The proponent shall obtain minimum of 4 star rating in Green Rating for Integrated Habitat Assessment (GRIHA Rating)
- 3. The project proponent shall provide Sewage treatment plant & grey water treatment plant (SBR technology) of adequate capacity as committed and shall continuously operate and maintain the same to achieve the standards prescribed by the TNPCB/CPCB.
- 4. The proponent shall provide adequate organic waste disposal facility such as organic waste convertor waste within project site as committed and non- Biodegradable waste to authorized recyclers as committed.
- 5. The height of the stacks of DG sets shall be provided as per the CPCB norms.
- The project proponent shall submit structural stability certificate from reputed institutions like IIT, Anna University etc. To TNPCB before obtaining CTO.
- 7. The proponent shall make proper arrangements for the utilization of the treated water from the proposed site for Toilet flushing, Green belt development & OSR and excess treated water shall be let-out through CMWSSB sewer line.

8. The sludge generated from the Sewage Treatment Plant shall be collected and de-watered

MEMBER SECRETARY

EC Identification No. - EC22B038TN153971 File No. - 8775/2021 Date of Issue EC - 29/04/2022

Page 10 of 30

- using filter press and the same shall be utilized as manure for green belt development after composting.
- 9. The proponent shall provide the separate wall between the STP and OSR area as per the layout furnished and committed.
- 10. The purpose of Green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the appendix, in consultation with the DFO, State Agriculture University. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner.
- 11. Taller/one year old Saplings raised in appropriate size of bags, preferably eco-friendly bags should be planted in proper espacement as per the advice of local forest authorities/botanist/Horticulturist with regard to site specific choices. The proponent shall earmark the greenbelt area with GPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organized manner
- 12. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the pubic usage and as committed.
- 13. The Proponent shall provide rain water harvesting sump of adequate capacity for collecting the runoff from rooftops, paved and unpaved roads as committed.
- 14. The project proponent shall allot necessary area for the collection of E waste and strictly follow the E-Waste Management Rules 2016, as amended for disposal of the E waste generation within the premise.
- 15. The project proponent shall obtain the necessary authorization from TNPCB and strictly follow the Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended for the generation of Hazardous waste within the premises.
- 16. No waste of any type to be disposed off in any other way other than the approved one.
- 17. All the mitigation measures committed by the proponent for the flood management, to avoid pollution in Air, Noise, Solid waste disposal, Sewage treatment & disposal etc., shall be followed strictly.
- 18. The project proponent shall furnish commitment for post-COVID health management for construction workers as per ICMR and MHA or the State Government guidelines as committed for during SEAC meeting.

BER SECRETARY

Page 11 of 30

SEIAA-TN

- 19. The project proponent shall provide a medical facility, possibly with a medical officer in the project site for continuous monitoring the health of construction workers during COVID and Post - COVID period.
- 20. The project proponent shall measure the criteria air pollutants data (including CO) due to traffic again before getting consent to operate from TNPCB and submit a copy of the same to SEIAA.
- 21. Solar energy should be at least 10% of total energy utilization. Application of solar energy should be utilized maximum for illumination of common areas, street lighting etc.
- 22. As per the MoEF&CC Office Memorandum F.No. 22-65/2017-IA.III dated: 30.09.2020 and 20.10.2020, the proponent shall adhere the EMP as committed.
- 23. As accepted by the Project Proponent the CER cost is Rs. 3 crores and the amount shall be spent for activities, (1) construction/renovation of Girls toilet with 24/7 water facility, (2) providing free supply of sanitary napkins for 2.5 years to adult girl students through the Headmaster, (3) installation of incinerator in the Girls toilet for safe disposal of sanitary napkins and (4) tree plantation (see Appendix) in school in consultation with concerned Government school/Panchayat Union Primary School HM in Thiruvottiyur and adopt Bharathi women's College in Broadway, George Town Chennai & provide the amenities for the students before obtaining CTO from TNPCB.

Appendix List of Native Trees for Planting

- 1. Aegle marmelos Vilvam
- 2. Adenaanthera pavonina Manjadi
- 3. Albizia lebbeck Vaagai
- 4. Albizia amara Usil
- 5. Bauhinia purpurea Mantharai
- 6. Bauhinia racemosa Aathi
- 7. Bauhinia tomentosa Iruvathi
- 8. Buchanania aillaris Kattuma
- 9. Borassus flabellifer Panai
- 10. **Butea monosperma** Murukka maram
- 11. Bobax ceiba Ilavu, Sevvilavu
- 12. Calophyllum inophyllum Punnai

- 13. Cassia fistula Sarakondrai
- 14. Cassia roxburghii- Sengondrai
- 15. Chloroxylon sweitenia Purasa maram
- 16. Cochlospermum religiosum Kongu, Manjal Ilavu
- 17. Cordia dichotoma Mookuchali maram
- 18. Creteva adansonii Mavalingum
- 19. Dillenia indica Uva, Uzha
- 20. Dillenia pentagyna Siru Uva, Sitruzha
- 21. Diospyros ebenum Karungali
- 22. Diospyros chloroxylon Vaganai
- 23. Ficus amplissima Kal Itchi
- 24. Hibiscus tiliaceous Aatru poovarasu
- 25. Hardwickia binata Aacha
- 26. Holoptelia integrifolia Aayili
- 27. Lannea coromandelica Odhiam
- 28. Lagerstroemia speciosa Poo Marudhu
- 29. Lepisanthus tetraphylla Neikottai maram
- 30. Limonia acidissima Vila maram
- 31. Litsea glutinosa -Pisin pattai
- 32. Madhuca longifolia Illuppai
- 33. Manilkara hexandra Ulakkai Paalai
- 34. Mimusops elengi Magizha maram
- 35. Mitragyna parvifolia Kadambu
- 36. Morinda pubescens Nuna
- 37. Morinda citrifolia Vellai Nuna
- 38. Phoenix sylvestre Eachai
- 39. **Pongamia pinnata** Pungam
- 40. Premna mollissima Munnai
- 41. Premna serratifolia Narumunnai
- 42. Premna tomentosa Purangai Naari, Pudanga Naari
- 43. Prosopis cinerea Vanni maram
- 44. Pterocarpus marsupium Vengai

- 45. Pterospermum canescens Vennangu, Tada
- 46. Pterospermum xylocarpum Polavu
- 47. Puthranjiva roxburghii Puthranjivi
- 48. Salvadora persica Ugaa Maram
- 49. Sapindus emarginatus Manipungan, Soapu kai
- 50. Saraca asoca Asoca
- 51. Streblus asper Piraya maram
- 52. Strychnos nuxvomica Yetti
- 53. Strychnos potatorum Therthang Kottai
- 54. Syzygium cumini Naval
- 55. Terminalia bellerica Thandri
- 56. Terminalia arjuna Ven marudhu
- 57. Toona ciliate Sandhana vembu
- 58. Thespesia populnea Puvarasu
- 59. Walsura trifoliata valsura
- 60. Wrightia tinctoria Vep

SEIAA Recommendations:

The proposal was placed in the 499th meeting of SEIAA held on 11.04.2022. After detailed discussions, the Authority accepted the recommendation of SEAC and decided to grant of Environmental Clearance subject to the conditions as recommended by SEAC & normal condition in addition to the following conditions:

- 1. All the construction of Buildings shall be energy efficient and conform to the green building norms.
- 2. The proponent shall provide adequate play area for the children and crèche within the premises.
- 3. The project proponent shall furnish the details of action taken to provide adequate parking space for visitors of all inmates including clean traffic plan.
- The proponent shall ensure that no treated or untreated trade effluent/sewage shall be discharged outside the premises under any circumstances
- 5. All biosafety standards, hygienic standards and safety norms of working staff and patients to be strictly followed as stipulated in EIA/EMP.

- The disaster management and disaster mitigation standards to be seriously adhered avoid any calamities.
- The proponent shall ensure that the EIA/EMP and disaster management plan should be adhered strictly.
- 8. The activities should in no way cause emission and build-up Green House Gases. All actions to be eco friendly and support sustainable management of the natural resources within and outside the campus premises.
- The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- 10. The proponent shall ensure that provision should be given for proper utilization of recycled water.
- 11. The proponent shall ensure that all trees & biodiversity listed in EIA report to be protected within the premises. All trees within the premises should be numbered and retained and more indigenous trees planted.
- 12. The proponent shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building.
- 13. All the Buildings shall be energy efficient and confirm to the green building norms.
- 14. The proponent shall ensure that no treated or untreated trade effluent/sewage shall be discharged outside the premises under any circumstances.
- 15. The proponent shall ensure that the all activities of EMP shall be completed before obtaining CTO from TNPCB.
- 16. The proponent shall ensure that the activities undertaken should not result in carbon emission, and temperature rise, in the area.
- 17. The proponent shall ensure that the buildings and activities should not result in Environmental damages, nor result in temperature rise.
- 18. The proponent shall provide and ensure the green belt plan are implemented as indicated in EMP. There should be sufficient grass lawns and play facility for children.

19. The proponent shall provide the emergency exit in the buildings.

MEMBER SECRETARY SEIAA-TN

Page 15 of 30

- 20. The proponent shall provide elevator as per rules CMDA/DTCP.
- 21. The proponent shall provide adequate capacity of DG set (standby) for the proposed STP so as ensure continues and efficient operation.
- 22. The proponent shall adhere to the provision and norms regard to fire safety prescribed by competent authority.

Environmental Clearance along with the conditions containing four parts namely

- Part A Common conditions applicable for Pre-construction, Construction and Operational Phases
 - Part B Specific Conditions Pre construction phase
 - Part C Specific Conditions Construction phase
 - Part D Specific Conditions Operational Phase/Post constructional Phase / Entire life of the project.

Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:

Part - A - Common conditions applicable for Pre-construction, Construction and Operational Phases:

- Any appeal against this Environmental Clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 2. The construction of STP, ETP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.
- 3. The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.

- 4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
- 5. The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
- 6. A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
- 7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.
- 8. The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- 9. "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
- 10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments ,draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957,National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of

- Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.
- 12. The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
- 13. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM₁₀, PM_{2.5}, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.
- 15. The SEIAA, TN may cancel the Environmental Clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the Environmental Clearance.
- 16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.
- 17. The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
- 18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.

- 20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
- 21. The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
- 22. The Project Proponent has to provide rain water harvesting pits to recover and reuse the rain water during normal rains as reported.
- 23. The project activity should not cause any disturbance & deterioration of the local bio diversity.
- 24. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
- 25. All the assessed flora & fauna should be conserved and protected.
- 26. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- 27. Necessary permission shall be obtained from the competent authority for the drawl / outsourcing of fresh water before obtaining consent from TNPCB.
- 28. The proponent shall appoint an Environmental Engineer with necessary qualification for the operation and maintenance of STP (Sewage Treatment Plant) and GWTP (grey water Treatment Plant)
- 29. The Proponent shall provide the dispenser for the disposal of Sanitary Napkins.
- 30. All the mitigation measures committed by the proponent for the flood management, Solid waste disposal, Sewage treatment & disposal etc., shall be followed strictly.
- 31. No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- 32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.

33. The safety measures proposed in the report should be strictly followed.

Part - B - Specific Conditions - Pre construction phase:

- 1. The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.
- 2. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 3. A copy of the clearance letter shall be sent by the proponent to the Local Body.

 The clearance letter shall also be put on the website of the Proponent.
- 4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquake, adequacy of firefighting equipments, etc. as per National Building Code including protection measures from lightning etc. before commencement of the work.
- All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
- 6. Design of buildings should be in conformity with the Seismic Zone Classifications.
- 7. The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
- 8. No construction activity of any kind shall be taken up in the OSR area.
- Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
- 10. The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
- 11. The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
- 12. The project proponent shall ensure the entry of basement shall be above maximum flood level.

- 13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line.
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - iii. Pipe Line conveying the treated effluent for toilet flushing
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Strom water drains, and
 - ix. Rain water harvesting system, etc. and it shall be made available to the owners
- 14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.
- 15. The present land use surrounding the project site shall not be disturbed at any point of time.
- 16. The green belt area shall be planted with indigenous native trees.
- 17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
- 18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
- The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972 & Bio diversity Act 2002 should not be violated.
- 20. There should be Firefighting plan and all required safety plan.
- 21. Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions - Construction phase:

1. Construction Schedule:

 The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

MEMBER SECRETARY

Page 21 of 30

2. Labour Welfare:

- i) All the laborers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.

3. Water Supply:

- i) The entire water requirement during construction phase may be met from private tankers
- ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices prevalent.
- v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor based control.

4. Solid Waste Management:

- In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be co-composted with biodegradables.
- ii) Hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.
- iii) Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.
- iv) No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- v) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.

5. Top Soil Management:

 All the top soil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.

6. Construction Debris disposal:

- i) Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

 Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the

- standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon.
- ii) The diesel required for operating stand by DG sets shall be stored in barrels fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.

8. Air & Noise Pollution Control:

- i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.
- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per CMDA norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.
- v) The project proponent should ensure that adequate Air Pollution Control measures shall be provided from buses and other vehicles, which will be entering the bus terminal. Further, water sprinkling system shall be provided and same shall be used at regular interval to control the dust emission within the project site.

9. Building material:

- Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.
- Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.
- iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.

11. Energy Conservation Measures:

- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.
- ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three month's time.

MEMBER SECRETARY SEIAA-TN

Page 25 of 30

vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:

- i) Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- ii) Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

- i) The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.
- ii) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area all along the boundary of the project site with at least 3 meter wide and the same shall be included in the layout out plan to be submitted for CMDA/DTCP approval.
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.

14. Sewage Treatment Plant:

- i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/ reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant and Effluent treatment plant effectively to meet out the standards prescribed by the CPCB.

- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant and Effluent treatment plant to achieve the standards prescribed by the CPCB.
- v) The project proponent has to ensure the complete recycling of treated Sewage &Effluent water after achieving the standards prescribed by the CPCB.
- vi) The project proponent has to provide separate standby D.G set for the STP/GWTP for the continuous operation of the STP/GWTP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The Project Proponent has to provide rain water harvesting pits to recover and reuse the rain water during normal rains as reported.
- i) The project activity should not cause any disturbance & deterioration of the local bio diversity.

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and where ever is necessary.

Part - D - Specific Conditions - Operational Phase/Post constructional phase/Entire life of the project:

- 1. There should be Firefighting plan and all required safety plan.
- 2. Regular fire drills should be held to create awareness among owners/ residents.
- 3. Hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.

- 4. The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.
- 5. Solar energy saving shall be increased to atleast 10% of total energy utilization.
- 6. The Project proponent has to spend the CER as committed in the affidavit. The above activity shall be carried out before obtaining CTO from TNPCB.
- 7. The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually
- 8. The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale of the property and should also mention the component involved.
- 9. The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
- 10. The Project proponent should discuss with the wet land Authority, Tamil Nadu Forest Department, PWD and support lake restoration cum improvement, awareness and conservation programs.
- 11. The project activities should in no way disturb the manmade structures.
- 12. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
- 13. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.
- 14. Raw water quality to be checked for portability and if necessary RO plant shall be provided.
- 15. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy

EC Identification No. - EC22B038TN153971 File No. - 8775/2021 Date of Issue EC - 29/04/2022

Page 28 of 30

of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.

- 16. The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.
- 17. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.
- 18. The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
- 19. It is the sole responsibility of the proponent that the treated sewage water disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc
- 20. Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
- 21. The e waste generated should be collected and disposed to a nearby authorized e-waste centre as per E- waste (Management & Handling), Rules 2016 as amended.
- 22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.
- 23. The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
- 24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.
- 25. The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
- 26. The proponent shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that

the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.

- 27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- 28. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 29. The Environmental Clearance is issued based on the documents furnished by the project proponent. In case any documents found to be incorrect/not in order at a later date the Environmental Clearance issued to the project will be deemed to be revoked/cancelled.

MEMBER SECRETARY SEIAA-TN

Copy to:

- 1. The Additional Chief Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai 9.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
- 3. The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
- 4. The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ), 34, HEPC Building, 1st & 2nd Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi - 110003.
- 6. The Municipal Commissioner, Greater Chennai Corporation, Chennai District.
- 7. Stock File.